

## **POP RSF**

(Finish for viscose fibre)

POP RSF is a non ionic finish for viscose staple fibre. It is non yellowing.

|                    |   |   |
|--------------------|---|---|
| <b>Composition</b> | : | Fatty acid condensation derivative.                       |
| <b>Properties</b>  | : | Imparts lubricity to fibre.                               |
|                    | : | Has good antistatic properties                            |
|                    | : | Non yellowing with good heat and light fastness.          |
|                    | : | Compatible with non ionic, cationis and anionic products. |
|                    | : | Gives Scroopy and Crisp handle                            |

Characteristics value:

|              |   |            |
|--------------|---|------------|
| Appearance   | : | Creamish   |
| Ionic nature | : | Nonionic   |
| Consistency  | : | Soft paste |

Field of application:

|           |   |                      |
|-----------|---|----------------------|
| Substrate | : | Viscose staple fibre |
| Machine   | : | Dyeing / Spinning    |
| Operation | : | Refinish application |

*Application*

Dissolving method

dissolve in warm water 60°C to form opalescent solution.

Advisable to disperse it initially with warm water under agitation in a ratio of 1:5 to 1:6 Diluted solution may thereafter be adjusted to required concentration with water.

Guide recipe

: 0.5-2% solution to be applied on viscose fibre to get a final finish on fibre of 0.2 to 0.5%

Drying

: Usual drying temperature.

*Special remarks*

Storage Stability

at least 12 months under normal condition of storage.

-----

